



## Further Information

Size	a (min)	b (max)	ti + to / 2 (min)	w (min)
#0	0.062	0.137	0.017	0.020
#1	0.075	0.150	0.020	0.022
#2	0.088	0.172	0.020	0.035
#3	0.101	0.195	0.025	0.040
#4	0.114	0.209	0.025	0.040
#5	0.127	0.236	0.031	0.047
#6	0.141	0.250	0.031	0.047
#8	0.167	0.293	0.040	0.055
#10	0.193	0.334	0.047	0.062
#12	0.220	0.377	0.056	0.070
1/4	0.252	0.487	0.062	0.109
5/16	0.314	0.583	0.078	0.125
3/8	0.377	0.680	0.094	0.141
7/16	0.440	0.776	0.109	0.156
1/2	0.502	0.869	0.125	0.171
5/8	0.628	1.072	0.156	0.203
3/4	0.753	1.264	0.188	0.234
7/8	0.878	1.455	0.219	0.266
1"	1.003	1.647	0.250	0.297
1.1/8"	1.129	1.838	0.281	0.328
1.1/4"	1.254	2.028	0.312	0.359
1.3/8"	1.379	2.210	0.344	0.391
1.1/2"	1.504	2.409	0.375	0.422



 <b>PRECISION TECHNOLOGY SUPPLIES</b> <small>Stainless Steel Industrial Fastenings &amp; Precision Turned Parts</small>	<b>Part No. U127716</b>
<a href="http://www.pts-uk.com">www.pts-uk.com</a> +44 (0)1342 410758	7/16" MEDIUM SPLIT LOCKWASHER ASME B18.21.1 A2 STAINLESS STEEL
Information in this drawing is provided for reference only	